# Celtic Knit Aran Pillow

An adaptation of Celtic Knit Aran Pillow by Glenna C, first published in Canadian Living, November 2012. <u>Online link</u>. <u>Ravelry link</u>

Adaptation by Sophia White

## Supplies:

Yarn: 500-600 yds aran-weight yarn (approx. three 100g skeins) (slightly more if using worsted) Needles:

- US size 7 / 4.5mm (or size to meet gauge) needles to knit in the round (24-29 inches in length for a single circular needle)
- Cable needle (can substitute with smaller dpn)
- 2 needles of the same size or smaller to bind off (dpn or straight needle; optional depending on your bind off method)
- Crochet hook of similar size (optional depending on preference)

## Tapestry needle

Stitch markers: (paper clips work in a pinch)

- 2 in one color or style "marker A"
- 6 in a different color or style than above "marker B" (optional for cable marking)

16-inch square pillow form, or the equivalent volume in stuffing

1 button (1<sup>1</sup>/<sub>2</sub> to 1<sup>3</sup>/<sub>4</sub> inch diameter or larger, depending on preference)

# Gauge:

18 st and 24 rows = 4 inches square in stockinette (after blocking)

# Description:

This pillow cover is worked in the round as a tube. To fashion it into a pillow shape, it is seamed at the bottom, and then fastened over the top with a triangular flap (like a purse) and a button.

# PATTERN:

## Lower Edge:

Cast on 160 stitches using a provisional cast on, such as the modified Crochet Cast-On (see **Resources**). Join in the round.

Row 1: k80 (front of pillow), PM-A on needle, k80 (back of pillow), PM-A.

Row 2: k80, sm-A, m1L, knit to M-A, m1L, sm-A. (front: 80st; back: 82st)

Row 3: k1, [k6, m1L] 12 times, k7, sm-A, p1, k to 1 st before M-A, p1, sm-A. (front: 92st; back: 82st)

Row 4: k7, p2, [k6, (p2, k2) twice, p4, k4, p4, (k2, p2) twice] 2 times, k6, p2, k7, sm-A, p1, k to 1 st before marker, p1, sm-A.

Pillow Body:

For each round, work Pillow Front from chart, then work Pillow Back as [sm-A, p1, knit to 1 st before marker, p1, sm-A].

Suggested placement for stitch markers "B" on chart:

- Between stitch 7 and 8 (both repeats)
- Between stitch 17 and 18 (both repeats)
- Between stitch 41 and 42 (second repeat only)
- Between stitch 51 and 52

Work until piece measures 16<sup>1</sup>/<sub>4</sub> inches from beginning or until pillow cover is about <sup>1</sup>/<sub>2</sub> inch from closing when pulled snugly over the pillow. Finish after an even round of the cable chart. Remove "B" stitch markers if using.

<u>Note</u>: it can be helpful to seam the bottom of the cover to get a more accurate sense of the pillow cover's length on the pillow.

#### Upper Edges:

- Setup row: k1, k2tog, [k2tog, k7] 9 times, k2tog, k1, k2tog, k1 (80 stitches after decreases before M-A). Remove "A" markers.
- <u>Note</u>: For an easier finish, omit the corner bind-off instructions and continue to the Front Flap section.

Turn work inside out.

Bind off corners as follows:

Left corner: Using the Three-Needle Bind-Off (see **Resources**), bind off 16 stitches on the front and back.

- <u>Note 1</u>: It can be helpful to transfer the back 16 stitches to a new needle before starting the bindoff.
- <u>Note 2</u>: You may need to adjust the number of stitches at each corner. Pillow should fit through the top of the cover without overly stretching the edges the edges will be less stretchy after binding off.
- Right corner: Working from the left corner to the right corner, put all but the last 16 stitches of the **back** on waste yarn. Transfer the remaining 16 stitches to a new needle or the end of your circular needle. With a separate ball of yarn, using the Three-Needle Bind-Off, bind off 16 stitches on the front and back.

Turn work right-side out.

<u>Front flap</u> (worked in rows): Setup row: sl 1, purl to right corner bind-off edge

Work the following two rows until 4 stitches remain: Row 1: sl 1, k1, ssk, ssk, k to 5 st before end of row, k2tog, k2tog, k1 Row 2: sl 1, p1, p2tog, p to 3 st before end of row, ssp, p1

Bind off using the knit bind-off. Crochet a chain stitch for 4 stitches or until the chain plus the bind-off edge forms the correct size for your button. Secure the chain stitch to the start of the bind-off edge.

#### Finish back (worked in rows):

Transfer stitches back onto your main needles. Using the ball of yarn from the right corner, work two rows flat. Cast off using the knit bind-off or other moderately stretchy bind-off.

#### Binding Off Lower Edge:

Pick up the provisional stitches onto your needle, beginning with the start of the round. Turn work inside out. Bind off using the Three-Needle Bind-Off.

#### Finishing:

Weave in ends using a tapestry needle.

Using the pillow in the pillow cover as a guide, determine where the button should be added to the pillow case. Mark the spot with a stitch marker or safety pin, remove the pillow, then secure the button to the pillow using your project yarn.

#### Resources:

Crochet Cast-On Resources: Roxanne Richardson YouTube | Provisional Cast On With Built-in Lifeline Using Crochet CO Nimble Needles blog | How to Knit a Provisional Cast-On with a Crochet Hook

#### Three-Needle Bind-Off Resources:

Roxanne Richardson YouTube | Three-Needle Bind Off (3NBO) Basics // Technique Tuesday Modern Daily Knitting blog | Techniques in Depth: Three-Needle Bind-Off <u>Glossary</u>: k - knit p - purl M - marker st - stitch PM - place marker (type of marker to be placed follows abbreviation) sm - slip marker sl - slip purlwise m1L - make 1 Left ssk - slip, slip, knit k2tog - knit 2 together p2tog - purl 2 together ssp - slip, slip, purl [] - repeat instructions within brackets as directed

- 2/2 LC 2/2 Left Cross cable sl 2 st onto cable needle and hold to the front of work. k2 from left needle, k2 from cable needle.
- 2/2 RC 2/2 Right Cross cable sl 2 st onto cable needle and hold to the back of work. k2 from left needle, k2 from cable needle.
- 2/2 LPC 2/2 Left Purl Cross cable sl 2 st onto cable needle and hold to front of work. p2 from left needle, k2 from cable needle.
- 2/2 RPC 2/2 Right Purl Cross cable sl 2 st onto cable needle and hold to back of work. k2 from left needle, p2 from cable needle.
- 2/1 LPC 2/1 Left Purl Cross cable sl 2 st onto cable needle and hold to front of work. p1 from left needle, k2 from cable needle.
- 2/1 RPC 2/1 Right Purl Cross cable sl 1 st onto cable needle and hold to back of work. k2 from left needle, p1 from cable needle.





